

Water in Africa: Hydro-Pessimism or Hydro-Optimism?

Água em África: Hidro-pessimismo ou Hidro-optimismo

Centro de Estudos Africanos da Universidade do Porto Porto, Portugal, 2-3 October 2008

CONFERENCE ON WATER IN AFRICA SESSION ON WATER AND AGRICULTURE

Rainwater Management

for


Increased Agricultural production

Nico van Leeuwen

Outline

- Food for all ?
- Key role of water
- Smallholder adapted technologies
- Where does the rainwater go?
- Options for management of rainwater
- Conclusions


UNDERNOURISHMENT



UNDERNOURISHMENT IN THE WORLD

- 776 million people in developing countries remain undernourished
- World Food Summit goal (1996) to reduce undernourishment to 410 million but present expectations are 610 million
- Seven out of ten of the world's poor live in rural areas and depend on agriculture
- Arid zones cover 45% of the world area

UNDERNOURISHMENT SUB- SAHARA **AFRICA**



< 2.5 2.5 - 45-19 20 - 34


≥35

No data

UNDERNOURISHMENT IN SUB-SAHARAN AFRICA

- SSA undernourishment rose from 200 m people in 1995 to 450 m today.
- SSA population 62% in rural areas
- SSA rural poverty accounts for 90% of total poverty
- SSA 80% of the poor depend on agriculture
- 38 % of SSA is arid land

Undernourishment and water scarcity Sub-Sahara Africa



Dry land areas and rain fed agriculture


Definition and distribution of dry land areas

Classifica-	Length of growing	% of	% of land area
tion	period for annual	World	Sub-Saharan
	crops in days*	Land area	Africa
Hyper arid	0	19	24
arid	1 – 59	7	6
semi-arid	60 – 119	20	13
dry-sub	120 - 179	18	19
humid			

Arid land: 45% of world area,

38% of Sub-Saharan Africa

Strong relationship between water availability and cereal production



In order to reach the World Food Summit and Millennium goals

• to reduce the number of undernourished

• and feed the world population expected to increase by 30% over the next 30 years


world food production should

be increased by 50 % in 2030

Some realities:

- •The green revolution is slowing down
- •Serious environmental problems are appearing
- •Investment in agriculture and irrigation has been reduced
- •Groundwater resources are dangerously low in many countries

How to grow 50 % more food in 2030



Yield Increase:

- •Adequate water supply to crops through Irrigation, water harvesting/runoff farming.
- Improved seed
- •Fertiliser
- Agricultural practices

Arable land expansion

- •Irrigate dry areas
- •Expand use of wetlands
- •Water harvesting on arid lands

Cropping intensity

- •Expand and improve irrigation
- •Reclamation and intensive use of wetlands

Large irrigation projects for small number of farmers?

Small-scale water development for a large number of farmers?

In developing countries

- 80% of the farmers are smallholder farmers
- practicing mainly subsistence farming
- located largely in arid and semi-arid zones or zones with erratic rainfall


Improvement of water supply to crops

- accessible and affordable
- to poor,
- smallholder
- subsistence farmers

Most appropriate technologies for smallholder farmers:


- Very-small-scale irrigation (with groundwater, surface water or collected/stored rainwater
- Water management in wetlands and valley bottoms
- Management of water from rainfall.

RAINWATER MOVEMENTS



(Rockström, Fox, Persson et Falkenmark(SIWI)

Rainwater distribution in arid areas



Improved use of rainwater

- Prevent run-off
- Reduce evaporation from soil surface
- Keep water in the root zone en prevent deep percolation

"Rainwater that falls on my land remains on my land"

Options:

- Conservation agriculture
- Rainwater harvesting run-off farming

CONSERVATION AGRICULTURE

- No tillage
- Maintain coverage on soil surface
- Stimulate biological functioning of the soil
- Reduces evaporation and run-off

Conservation agriculture only works when rainfall is sufficient



Small-scale conservation agriculture






Mechanized conservation agriculture


Rainwater Harvesting

The collection of runoff for its productive use

- Water applied to the crop and stored in the soil profile: runoff farming
- Water stored in a reservoir for future use: irrigation, Domestic use, livestock, aquaculture, etc



Potential areas for runoff farming




Source: GAEZ (FAO – IIASA, 2003)


Types of run-off farming water harvesting


Microcatchment



Macrocatchment







Floodwater harvesting



Small-scale rainwater harvesting (zai)






Tree planting for reforestation or land rehabilitation



Inter-row water harvesting in orchard in arid area29

Microcatchments made by the "Dolphin-plough"



DIMENSIONS:

length 4 -5 m



width 0.40 m

depth 0.40 m

ADVANTAGE:

• coverage of 10-15 ha / day

DISADVANTAGE:

• high investment costs





Mechanized runoff farming

Rainwater harvesting or conservation

- Very small scale
- •Large scale

Keita project in Niger FAO/Italy and WFP 1984 – 1999 13 000 km² - 300,000 people living in 400 villages


- 50 artificial lakes
- 42 dams
- 65 village wells
- 10,000 ha water conservation
- 16 million trees
- Infrastructure: schools, maternity centres, veterinary facilities, storehouses, micro-credit, literacy courses, etc.



Keita project Niger



Keita project Niger



Characteristics of run-off farming techniques

- Oriented towards increased agricultural production
- Reduces risks of crop failure and encourages other investments (seed, fertilizer, etc)
- Relatively Low-Cost and high return of investment
- Immediate benefits to farmers
- Reduces downstream flooding and consequent damages

Characteristics of run-off farming techniques

- Contributes to increased recharge of groundwater
- Protects and rehabilitate the environment
- Combat desertification
- Alleviates the negative impact of climate change on water resources

